



Recombinant Human MMP-9 (C-6His)

Catalog #	EPT028
Expression Host	Human Cells
DESCRIPTION	Recombinant Human Matrix Metalloproteinase-9 is produced by our Mammalian expression system and the target gene encoding Ala19-Asp707 is expressed with a 6His tag at the C-terminus. The proenzyme needs to be activated by APMA for an activated form.
Accession	AAH06093.1
Synonyms	Matrix metalloproteinase-9; 92 kDa gelatinase; 92 kDa type IV collagenase; Gelatinase B; MMP9
Mol Mass	77.4 KDa
AP Mol Mass	90 KDa, reducing conditions
Purity	Greater than 95% as determined by reducing SDS-PAGE.
Endotoxin	Less than 0.1 ng/μg (1 EU/μg) as determined by LAL test.
FORMULATION	Supplied as a 0.2 μm filtered solution of 20mM Tris-HCl, 2mM CaCl ₂ , 150mM NaCl,





0.05% Brij35(w/v), pH 7.5.

RECONSTITUTION

SHIPPING

The product is shipped on dry ice/polar packs.

Upon receipt, store it immediately at the temperature listed below.

STORAGE

Store at $\leq -70^{\circ}\text{C}$, stable for 6 months after receipt.

Store at $\leq -70^{\circ}\text{C}$, stable for 3 months under sterile conditions after opening.

Please minimize freeze-thaw cycles.

BACKGROUND

Matrix metalloproteinase 9 (MMP-9) is an enzyme encoded by the MMP9 gene. This protein, which is produced by normal alveolar macrophages and granulocytes, can be activated by 4-aminophenylmercuric acetate and phorbol ester and up-regulated by ARHGEF4, SPATA13 and APC via the JNK signaling pathway in colorectal tumor cells. MMP-9 is involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, angiogenesis, bone development, wound healing, cell migration, learning and memory, as well as in pathological processes, such as arthritis, intracerebral hemorrhage,






ELK Biotechnology

and metastasis.

SDS-PAGE



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei, P.R.C